KINTEK

SONDER-WERKZEUGHALTER

SPECIAL TOOLHOLDERS

СПЕЦИАЛЬНЫЕ РЕЗЦЕДЕРЖАТЕЛИ

PORTEOUTILS SPECIAUX

PORTAUTENSILI SPECIALI

专用刀柄

DMG MORI

PORTAUTENSILI DMG MORI

Pag. 384-400

OKUMA TOOLHOLDERS

PORTAUTENSILI OKUMA

Pag. 401-413

NAKAMURA TOME TOOLHOLDERS

PORTAUTENSILI NAKAMURA

Pag. 414-417

DOOSAN PUMA TOOLHOLDERS - BMT 45 /55/65/75

PORTAUTENSILI DEWOO PUMA

Pag. 418-423

MAZAK TOOLHOLDERS

PORTAUTENSILI MAZAK

Pag. 424-426

WFL TOOLHOLDERS

PORTAUTENSILI WFL

Pag. 427

GOODWAY TOOLHOLDERS

PORTAUTENSILI GOODWAY

Pag. 428









Auf Anfrage sid Dispositionszeichnungen im dxf Format mit entsprechenden Massen verfügbar.

On request we can send you general layouts in dxf format with the relative dimensions.

По запросу мы готовы выслать Вам общий чертеж в формате dxf с соответствующими размерами.

Sur demande les dessins d'avant-projet en format dxf sont disponibles avec les relatives cotes.

Sono disponibili a richiesta i disegni di massima in formato dxf con relative quote di ingombro.

如有要求，我们可以发送***DXF***格式的带有相关参数的总体设计。

DMG MORI
(VDI30)

CTX 210/310/410 V3/V1 - CTX 320/420 V3
CTX Alpha 300/500 V3
CTX Beta 500/800/1250 V3 (option)
CTV 160


B1-30x20x40

Face and O.D. cutting holder


B3-30x20x40

Face and O.D. cutting holder overhead


B5-30x20x40

Face and O.D. cutting holder


B7-30x20x40

Face and O.D. cutting holder overhead


AR3026

Cut-off holder

26 mm


KH1-30

Bar puller


MW-3042-AM

VDI damped, adjustable, stop bar

AXIAL TURRET





Qualified tool

20x20 mm

ACCESSORIES

E2-115

Boring bar sleeve ø25 mm

115-62574 (ø8 mm)
115-62575 (ø10 mm)
115-62576 (ø12 mm)
115-62577 (ø16 mm)
115-62578 (ø20 mm)

Boring bar sleeve ø32 mm

165-63223 (ø8 mm)
165-63224 (ø10 mm)
165-63225 (ø12 mm)
165-63226 (ø16 mm)
165-63227 (ø20 mm)
165-63228 (ø25 mm)

Boring bar sleeve ø40 mm

165-64075 (ø8 mm)
165-64076 (ø10 mm)
165-64077 (ø12 mm)
165-64078 (ø16 mm)
165-64079 (ø20 mm)
165-64080 (ø25 mm)
165-64081 (ø32 mm)



Toolholder for insert drill

E1-30x06WN (ø6 mm)
E1-30x08WN (ø8 mm)
E1-30x10WN (ø10 mm)
E1-30x12WN (ø12 mm)
E1-30x16 (ø16 mm)
E1-30x20 (ø20 mm)
E1-30x25 (ø25 mm)
E1-30x32 (ø32 mm)
E1-30x40 (ø40 mm)

Toolholder for boring bar

E2-30x6 (ø6 mm)
E2-30x8 (ø8 mm)
E2-30x10 (ø10 mm)
E2-30x12 (ø12 mm)
E2-30x16 (ø16 mm)
E2-30x20 (ø20 mm)
E2-30x25 (ø25 mm)
E2-30x32 (ø32 mm)
E2-30x40 (ø40 mm)

Double holder for boring bar

E7-30x25 (ø25 mm)



Toolholder with cilindrical shank

137-00041 (ø40 mm/HSK50A+C)

Collet chuck

E4-30x16 (ER16)
E4-30x20 (ER20)
E4-30x25 (ER25)
E4-30x32 (ER32)
E4-30x40 (ER40)

Drilling chuck

KS2-30-13 (ø1-ø13 mm)
KS2-30-16 (ø3-ø16 mm)



DMG MORI
(VDI30)

CTX 310/410 V4/V6 - CTX 320 V4/V6
CTX 420 V4/V6 (option) - CTX Alpha 300 V4
CTX Alpha 500 V 4/V6
CTX Beta 500/800/1250 V4/V6 (option)
TWIN 42/65/102
SPRINT 65/50





VDI30/VDI30 ADAPTORS









DMG MORI
(VDI30)

CTX310/410 V4/V6 - CTX 320 V4/V6
CTX420 V4/V6 (option) - CTX Alpha 300 V4
CTX Alpha 500 V4/V6
CTX Beta 500/800/1250 V4/V6 (option)
TWIN 42/65/102
SPRINT 65/50

RADIAL TURRET



Toolholder for boring bar

115-53025 (ø32) 823-301260



Toolholder for boring bar



115-53011 (ø25 L=85)
115-53013 (ø32 L=100)

Toolholder for boring bar



115-53014 (ø32 L=100)

ACCESSORIES



Toolholder for boring bar

115-53028 (ø32) 823-301260



Boring bar sleeve ø32 mm

165-63301 (ø6 mm)
165-63302 (ø8 mm)
165-63303 (ø10 mm)
165-63304 (ø12 mm)



Toolholder for boring bar

115-53030 (ø32) 823-301260



Boring bar sleeve ø25 mm

165-62523 (ø16 mm)
165-62524 (ø20 mm)

Boring bar sleeve ø32 mm

165-63305 (ø16 mm)
165-63306 (ø20 mm)
165-63307 (ø25 mm)

DMG MORI (VDI40)

CTX410 V3 (option)
CTX510 V3/V4
CTX420 V3 (option)
CTX520 V3/V4
CTX Beta 500/800/1250 V3/V4
CTX Gamma 1250/2000 V3/V4 (option)



DMG MORI (VDI40)

CTX410 V4/V6 (option) - CTX420 V4/V6 CTXBeta 500/800/1250 V6 TWIN42/65/102 RG2 - GMX250/300/400/500 SPRINT65 (option)



VDI40/VDI40 ADAPTORS



DMG MORI
(VDI40)

CTX410 V4/V6 (option) - CTX420 V4/V6
CTXBeta 500/800/1250 V4/V6
TWIN42/65/102 RG2 - GMX250/300/400/500
SPRINT65 (option)

RADIAL TURRET



Toolholder for boring bar

115-54128 (Ø16 L=100)
115-54129 (Ø20 L=100)
115-54077 (Ø20 L=120)



Toolholder for boring bar

115-54130 (Ø25 L=100)



Toolholder for boring bar

115-54133 (Ø25 L=100)



Toolholder for boring bar

115-54131 (Ø32 L=100)
115-54079 (Ø32 L=120)



Toolholder for boring bar

115-54132 (Ø40 L=100)
115-54080 (Ø40 L=120)



ACCESSORIES

Boring bar sleeve (ø25)

115-62579 (Ø8)
115-62580 (Ø10)
115-62581 (Ø12)
115-62582 (Ø16)
115-62583 (Ø20)

Boring bar sleeve (ø32)

165-63223 (Ø8)
165-63224 (Ø10)
165-63225 (Ø12)
165-63226 (Ø16)
165-63227 (Ø20)
165-63228 (Ø25)



Boring bar sleeve (ø40)

165-64082 (Ø8)
165-64083 (Ø10)
165-64084 (Ø12)
165-64085 (Ø16)
165-64086 (Ø20)
165-64087 (Ø25)
165-64088 (Ø32)

Double toolholder for boring bar



115-54147 (Ø32)

DMG MORI (VDI50)

CTX620 V3/V4/V1
CTX Gamma 1250/2000 V3/V4
CTV400
CTX Beta 2000

AXIAL TURRET



B1-50x32x55



Face and O.D. cutting holder

B3-50x32x55

Face and O.D. cutting holder overhead

B5-50x32x55



Face and O.D. cutting holder

B7-50x32x55



Face and O.D. cutting holder overhead

AR5026
AR5032



Cut-off holder
26 mm/32 mm

KH1-50



Bar puller

MW-5042-AM



VDI damped, adjustable, stop bar



Qualified tool
32x32 mm

ACCESSORIES

E2-115

Boring bar sleeve ø25 mm

115-62584 (ø8 mm)
115-62585 (ø10 mm)
115-62586 (ø12 mm)
115-62587 (ø16 mm)
115-62588 (ø20 mm)

Boring bar sleeve ø32 mm

165-63229 (ø8 mm)
165-63230 (ø10 mm)
165-63231 (ø12 mm)
165-63232 (ø16 mm)
165-63233 (ø20 mm)
165-63234 (ø25 mm)

Boring bar sleeve ø40 mm

165-64082 (ø8 mm)
165-64083 (ø10 mm)
165-64084 (ø12 mm)
165-64085 (ø16 mm)
165-64086 (ø20 mm)
165-64087 (ø25 mm)
165-64088 (ø32 mm)



Toolholder for insert drill

E1-50x16 (ø16 mm)
E1-50x20 (ø20 mm)
E1-50x25 (ø25 mm)
E1-50x32 (ø32 mm)
E1-50x40 (ø40 mm)
E1-50x50 (ø50 mm)

Toolholder for boring bar

E2-50x12 (ø12 mm)
E2-50x16 (ø16 mm)
E2-50x20 (ø20 mm)
E2-50x25 (ø25 mm)
E2-50x32 (ø32 mm)
E2-50x40 (ø40 mm)
E2-50x50 (ø50 mm)

Double holder for boring bar

E7-50x32 (ø32 mm L=50 mm)
E7-50x50 (ø50 mm L=68 mm)



Collet chuck

E4-50x25 (ER25)
E4-50x32 (ER32)
E4-50x40 (ER40)

Drilling chuck

KS2-50-13 (ø1-ø13 mm)
KS2-50-16 (ø3-ø16 mm)



DMG MORI (HSK63T)

GMX400 - GMX300 - GMX250

ATC Turret (HSK63T) ICTM STANDARD



H63APCMNR12-90



H63APDNNR15-90



H63ASVVCN16-90



H63ASDNCN11-90



H63ADCM12DDM15-L145



H63APCLNL/R12



H63APDJNL/R15



H63ASDJCL/R11



H63ASVJBL/R16



H63ASCLCL/R12



H63ATHEL/R16



141-11408 32/25



141-11406 25x25 mm



141-11405 25x25 mm



141-11407 (left)
141-21401 (right) 25x25 mm



142-11405 32/25
142-11406 32/25



142-11402 25x25 mm



142-21401 (left)
142-11403 (right) 25x25 mm



142-21404 20x20 mm (right)
142-21403 20x20 mm (left)



147-51405 (26mm,left)
147-51406 (26mm,right)
147-51407 (32mm,left)
147-51408 (32mm,right)



145-21404 (Ø12)
145-21406 (Ø16)
145-21408 (Ø20)
145-21409 (Ø25)
145-21410 (Ø32)
145-21411 (Ø40)



145-21412 Ø40 mm



165-64124 (Ø10 mm)
165-64125 (Ø12 mm)
165-64126 (Ø16 mm)
165-64127 (Ø20 mm)

165-64128 (Ø25 mm)
165-64129 (Ø32 mm)

DMG MORI CTX310EC0-BMT / NZ1500 / NZ2000



Face and O.D. cutting holder

KMS-T00224 (H70)



Face and O.D. cutting holder

KMS-T00225 (H95)



Face and O.D. cutting holder

KMS-T03017

Qualified tool 20x20 mm



Face and O.D. double cutting holder

KMS-T00228 (H70)



Face and O.D. double cutting holder

KMS-T00226 (H95)

CONNECTION



Drill socket

KMS-T22048 <MT2>

ACCESSORIES



Boring bar holder

Ø32 mm

KMS-T10115



Combi toolholder for boring bar and insertdril with internal coolant

Ø32 mm

KMS-T13132



Boring bar holder

2xØ25 mm

KMS-T10117



Boring bar sleeve

KMS-T20122 (Ø25 mm)
KMS-T20120 (Ø20 mm)
KMS-T20118 (Ø16 mm)
KMS-T20116 (Ø12 mm)
KMS-T20114 (Ø10 mm)
KMS-T20112 (Ø8 mm)

Throw-away drill socket

KMS-T22054 (Ø25 mm)
KMS-T22052 (Ø20 mm)
KMS-T22068 (Ø16 mm)

Boring bar sleeve

KMS-T20188 (Ø20 mm)
KMS-T20186 (Ø16 mm)
KMS-T20184 (Ø12 mm)
KMS-T20182 (Ø10 mm)
KMS-T20180 (Ø8 mm)

DMG MORI

NLX1500 - NLX2000
NLX2500 - NLX3000
NL2000 (S)MC - 2500 (S)MC
NL3000MC (12 STATIONS)

Driven tools



124-06001 124-06002

CONNECTION



ACCESSORIES



KMS-T20098-A (Ø32 mm)
KMS-T20096-A (Ø25 mm)
KMS-T20094-A (Ø20 mm)
KMS-T20092-A (Ø16 mm)
KMS-T20090-A (Ø12 mm)
KMS-T20088-A (Ø10 mm)
KMS-T20086-A (Ø8 mm)



KMS-T20196-A (Ø20 mm)
KMS-T20194-A (Ø16 mm)
KMS-T20110-A (Ø12 mm)
KMS-T20108-A (Ø10 mm)
KMS-T20106-A (Ø8 mm)



KMS-T22042-A (MT3)
KMS-T22044-A (MT4)
KMS-T22046-A (MT2)
KMS-T22066-A (MT1)



KMS-T20188 (Ø20 mm)
KMS-T20186 (Ø16 mm)
KMS-T20184 (Ø12 mm)
KMS-T20182 (Ø10 mm)
KMS-T20180 (Ø8 mm)



KMS-T20122-A (Ø25 mm)
KMS-T20120-A (Ø20 mm)
KMS-T20118-A (Ø16 mm)
KMS-T20116-A (Ø12 mm)
KMS-T20114-A (Ø10 mm)
KMS-T20112-A (Ø8 mm)

KMS-T20100-A (Ø32 mm)
KMS-T20102-A (Ø25 mm)
KMS-T20104-A (Ø20 mm)
KMS-T20190-A (Ø16 mm)



832-018722 (25 mm)
832-018732 (20 mm)

832-018721 (25 mm)
832-018731 (20 mm)



KMS-T00186 (25x25 mm)
KMS-T00187 (20x20 mm)



KMS-T00184 (25x25 mm)
KMS-T00185 (20x20 mm)



KMS-T03005 (25x25 mm)
KMS-T03006 (20x20 mm)



KMS-T00197 (25x25 mm)



137-00092 (32 mm)



KMS-T10097 (Ø40 mm)
KMS-T10098 (Ø50 mm)



KMS-T10104 (Ø25 mm)



KMS-T10096 (Ø32 mm)

F70031



KMS-T13128 (Ø40 mm) with internal coolant

DMG MORI
CMZ

SL203MC - SL253MC - ZL200MC
ZL250SMC - SL204SMC - SL300MC
TL20 - TL25 - TC30 - TC35













ACCESSORIES

Drill socket

KMS-T22042 <MT3>
KMS-T22044 (for Ø50 mm) <MT4>
KMS-T22046 <MT2>

Boring bar sleeve

KMS-T20098 (Ø32 mm)
KMS-T20096 (Ø25 mm)
KMS-T20094 (Ø20 mm)
KMS-T20092 (Ø16 mm)
KMS-T20090 (Ø12 mm)
KMS-T20088 (Ø10 mm)
KMS-T20086 (Ø8 mm)

Throw-away drill socket

KMS-T20100 (Ø32 mm)
KMS-T20102 (Ø25 mm)
KMS-T20104 (Ø20 mm)
KMS-T20190 (Ø16 mm)

Boring bar sleeve

KMS-T20122 (Ø25 mm)
KMS-T20120 (Ø20 mm)
KMS-T20118 (Ø16 mm)
KMS-T20116 (Ø12 mm)
KMS-T20114 (Ø10 mm)
KMS-T20112 (Ø8 mm)

Drill socket

KMS-T22048 <MT2>
KMS-T22050 <MT1>

CONNECTION



DMG MORI CTX Gamma 1250TC / 2000TC



C63H60ER16 C63H100ER16
C63H60ER20 C63H100ER20
C63H60ER25 C63H100ER25
C63H60ER32 C63H100ER32
C63H70ER40 C63H130ER40

C63H55WE06 C63H65WE16
C63H55WE08 C63H65WE20
C63H60WE10 C63H80WE25
C63H60WE12 C63H90WE32
C63H60WE14



C63H40D16 C63H100D27
C63H63D16 C63H25D32
C63H25D22 C63H100D32
C63H100D22 C63H40D40
C63H25D27 C63H100D40



C63H90D16
C63H90D22
C63H90D27
C63H90D32
C63H90D40



C63H110CM2P
C63H130CM3P
C63H150CM4P



C63H112R1-13
C63H112R3-16



C63GR1
C63GR2



C63H100C63
C63H140C63

C63H60D08PNT C63H70D20PNT
C63H60D10PNT C63H72D25PNT
C63H60D12PNT C63H75D32PNT
C63H70D16PNT C63H75D40PNT



C63H80C20
C63H100C32



C63-AD2020R/L
C63-AD2525R/L
C63-AD3232R/L



C63-ARD2525-45



C63AR20R/L
C63AR25R/L



C63H80D16E2
C63H80D20E2
C63H88D25E2
C63H95D32E2
C63H105D40E2



C63-PCLNR/L12
C63-PCLNR/R16



C63-PDJNR/L15



C63-25PCLNR/L12
C63-32PCLNR/L12
C63-40PCLNR/L16
C63-50PCLNR/L16



C63-25PDUNR/L11
C63-32PDUNR/L15
C63-40PDUNR/L15
C63-50PDUNR/L15



C63-SCLCR/L09
C63-SCLCR/R12



C63-SDJCR/L11



C63-SVHBR/L16
C63-SVHCR/L16



C63-SVJBR/L16
C63-SVJCR/L16



C63-SVVBN16-190
C63-SVVCN16-190

DMG MORI SL150 - SL153 - ZL150 - CL150 - SL154



ACCESSORIES



CONNECTION



DMG MORI CMZ

SL153MC - ZL150MC - SL154MC

TL15



Direct mounting on turret

Qualified tool 20x20 mm



Face and O.D. cutting holder

KMS-T00108



Face and I.D. cutting holder

KMS-T00148



KMS-T00146

Face and O.D. cutting holder



Cut-off holder

Cut-off tool 20x20mm

KMS-T00152 <reverse rotation>



KMS-T10046

Boring bar holder

Ø32 mm



KMS-T10052

Boring bar holder

Ø32 mm

Cover:832-003062



KMS-T13066

Combi toolholder for boring bar and insertdril with internal coolant

Ø32 mm



KMS-T10082

Boring bar holder

Ø25 mm



KMS-T10206

Boring bar holder

Ø25 mm

ACCESSORIES

Drill socket

KMS-T22048 <MT2>
KMS-T22050 <MT1>

Boring bar sleeve

KMS-T20122 (Ø25 mm)
KMS-T20120 (Ø20 mm)
KMS-T20118 (Ø16 mm)
KMS-T20116 (Ø12 mm)
KMS-T20114 (Ø10 mm)
KMS-T20112 (Ø8 mm)

Throw-away drill socket

KMS-T22054 (Ø25 mm)
KMS-T22052 (Ø20 mm)
KMS-T22068 (Ø16 mm)

Boring bar sleeve

KMS-T20188 (Ø20 mm)
KMS-T20186 (Ø16 mm)
KMS-T20184 (Ø12 mm)
KMS-T20182 (Ø10 mm)
KMS-T20180 (Ø8 mm)

CONNECTION



DMG MORI

SL200 - SL203 - SL250 - SL253 - ZL200 - ZL250 (CL200) - SL204 - DURATURN 2030 DURATURN 2050 - DURATURN 2550



Direct mounting on turret



KMS-T00074

Face and O.D. cutting holder

Also for machines
CLB2000B-MT2000
ZT2500-DURATURN2550



KMS-T00174

Face and O.D. cutting holder

Qualified tool 25x25 mm



KMS-T00158

Face and O.D. cutting holder



KMS-T00068

Face and I.D. cutting holder

Svitable also for machines
CLB2000B-MT2000
ZT2500-DURATURN2550



Cut-off holder

KMS-T00156

Svitable also for machines
CLB2000B-MT2000
ZT2500-DURATURN2550

Cut-off tool 25x25mm



KMS-T00144

Cut-off holder (Only for CL-200)

ACCESSORIES



KMS-T10036 (Ø40 mm)
KMS-T10044 (Ø50 mm)

Boring bar holder



KMS-T13064

Cover: 832-003063

Combi toolholder for boring bar and insertdril with internal coolant Ø40 mm



KMS-T100860

Boring bar holder

Ø32 mm



KMS-T10208

Boring bar holder

Ø32 mm

Drill socket

KMS-T22042 <MT3>
KMS-T22044 (for Ø50 mm) <MT4>
KMS-T22046 <MT2>
KMS-T22066 <MT1>

Boring bar sleeve

KMS-T20098 (Ø32 mm)
KMS-T20096 (Ø25 mm)
KMS-T20094 (Ø20 mm)
KMS-T20092 (Ø16 mm)
KMS-T20090 (Ø12 mm)
KMS-T20088 (Ø10 mm)
KMS-T20086 (Ø8 mm)

Throw-away drill socket

KMS-T20100 (Ø32 mm)
KMS-T20102 (Ø25 mm)
KMS-T20104 (Ø20 mm)
KMS-T20190 (Ø16 mm)

Boring bar sleeve

KMS-T20122 (Ø25 mm)
KMS-T20120 (Ø20 mm)
KMS-T20118 (Ø16 mm)
KMS-T20116 (Ø12 mm)
KMS-T20114 (Ø10 mm)
KMS-T20112 (Ø8 mm)

Drill socket

KMS-T22048 <MT2>

CONNECTION



DMG MORI CXT620



121-23239 Ø40H7



121-23236 Ø50H7



121-23235 Ø60H7



121-23234 Ø80H7



PU1-32-25 Ø25H7



PU1-32-32 Ø32H7



PU1-32-40 Ø40H7



PU1-32-50 Ø50H7



PU1-32-60 Ø60H7

DMG MORI CTX510



121-22552 Ø40H7



121-22558 Ø50H7



PU2-25-25



PU1-25-20 Ø20H7



PU1-25-25 Ø25H7



PU1-25-32 Ø32H7



PU1-25-40 Ø40H7



PU1-25-50 Ø50H7

OKUMA (VDI30)

LT10M - LT200M
LB10



112-330080



111-130110

Face and I.D. cutting holder

Face and O.D. cutting holder



Qualified tool 20x20 mm

Cut-off holder

26 mm



117-53001

ACCESSORIES

Cover:832-003212



115-23045

Combi toolholder for boring bar and insertdril with internal coolant

Ø32 mm

Cover:832-003212



115-230460

Combi toolholder for boring bar and insertdril with internal coolant

Ø32 mm



Boring bar sleeve

115-63286 (Ø8 mm)
115-63288 (Ø10 mm)
115-63290 (Ø12 mm)



Boring bar sleeve

115-63292 (Ø16 mm)
115-63294 (Ø20 mm)
115-63296 (Ø25 mm)

OKUMA (VDI40)

LT15M - LT300M - MT250
LB300 - LB300M - LV300



112-14009

Face and O.D. cutting holder



115-54088 (Ø32/ER32)



Qualified tool 25x25 mm



111-14014

Face and O.D. cutting holder



Cut-off holder 32 mm

117-54005

ACCESSORIES



Drill socket

165-64010 <MT1>
165-64011 <MT2>
165-64012 <MT3>

Cover:832-003104



115-240810

Combi toolholder for boring bar and insertdril with internal coolant

105

Ø40 mm



Boring bar sleeve and throw-away drill socket

115-64099 (Ø16 mm)
165-64001 (Ø20 mm)



Boring bar sleeve and throw-away drill socket

165-64002 (Ø25 mm)
165-64003 (Ø32 mm)

Cover:832-003104



115-240700

Combi toolholder for boring bar and insertdril with internal coolant

105

Ø40 mm



Boring bar sleeve

165-64007 (Ø20 mm)

Cover:832-003104



115-54060

Combi toolholder for boring bar and insertdril with internal coolant

105

Ø40 mm



Boring bar sleeve

165-64008 (Ø25 mm)
165-64009 (Ø32 mm)

OKUMA LB15 - LB25 LB15II - LB300

HAAS SL20 - SL30



128-420110

Face and O.D. cutting holder



Qualified tool 25x25 mm



128-32001

Face and I.D. cutting holder

CONNECTION



ACCESSORIES



128-22001

Toolholder for boring bar

Ø40 mm

Drill socket

165-64010 <MT1>
165-64011 <MT2>
165-64012 <MT3>

Boring bar sleeve and throw-away drill socket

165-64135 (Ø8 mm)
165-64013 (Ø10 mm)
165-64014 (Ø12 mm)
165-64015 (Ø16 mm)
165-64016 (Ø20 mm)

Cover:832-003056



128-22005

Combi toolholder for boring bar and insertdril with internal coolant

Boring bar sleeve and throw-away drill socket

165-64017 (Ø25 mm)
165-64018 (Ø32 mm)

OKUMA (VDI40)

LB15IIMW



112-240070

Face and I.D. cutting holder



111-640050

Face and O.D. cutting holder



Qualified tool 25x25 mm



111-640060

Face and O.D. cutting holder

ACCESSORIES



115-240680

Toolholder for boring bar

Drill socket

165-64010 <MT1>
165-64011 <MT2>
165-64012 <MT3>

Boring bar sleeve

165-64024 (Ø10 mm)
165-64025 (Ø12 mm)
165-64026 (Ø16 mm)
165-64027 (Ø20 mm)

OKUMA (HSK63T)

Mac Turn 250/350/400
Multus B250/B300/B400

For turning

ATC Turret (HSK63T)

ICTM STANDARD

45°



141-11405 25x25 mm

90°



142-11402 25x25 mm



142-21401 (left)
142-11403 (right)
25x25 mm



141-11406 25x25 mm



141-11407 (left)
141-21401 (right)
25x25 mm



142-11405 32x32/25x25 mm

142-21403 20x20 mm (left)
142-21404 20x20 mm (right)



142-21402 20x20 mm (left)
142-11404 20x20 mm (right)

CUT-OFF HOLDER



147-51405 (26mm,left)
147-51406 (26mm,right)
147-51407 (32mm,left)
147-51408 (32mm,right)



H63APCMNR12-L145



H63APDNNR15-L145



H63ADCM12DDM15-L145



H63ADDMNL15-L145



H63ADVMNL16-L145



H63ASDNCN11-L145



H63ASVVCN16-L145

BORING BAR HOLDER



145-21404 (Ø12)
145-21406 (Ø16)
145-21408 (Ø20)
145-21409 (Ø25)
145-21410 (Ø32)
145-21411 (Ø40)



145-21412 Ø40 mm



165-64124 (Ø10 mm)
165-64125 (Ø12 mm)
165-64126 (Ø16 mm)
165-64127 (Ø20 mm)



165-64128 (Ø25 mm)
165-64129 (Ø32 mm)



145-11406 (Ø16)
145-11408 (Ø20)
145-11409 (Ø25)
145-11410 (Ø32)
145-11411 (Ø40)

OKUMA (VDI40)

Mac Turn 250/350

Lower Turret (VDI 40)













ACCESSORIES



Drill socket
165-64010 <MT1>
165-64011 <MT2>
165-64012 <MT3>

Boring bar sleeve and throw-away drill socket
115-64099 (Ø16 mm)
165-64001 (Ø20 mm)

Boring bar sleeve and throw-away drill socket
165-64002 (Ø25 mm)
165-64003 (Ø32 mm)

Boring bar sleeve
165-64006 (Ø16 mm)
165-64007 (Ø20 mm)

Boring bar sleeve
165-64008 (Ø25 mm)
165-64009 (Ø32 mm)

OKUMA (HSK100A)

Mac Turn 550

For turning

ATC Turret (HSK100A) ICTM STANDARD

45∞



141-11603 25x25 mm

141-11601 25x25 mm

90∞



142-11607 25x25 mm

142-11608 25x25 mm



H100APCMNR12-L160



142-21605 25x25 mm



141-11602 25x25 mm



H100APDNNR15-L160



H100ASVVCN16-L160

BORING BAR HOLDER



145-21608 Ø50 mm



H100ADCM12DDM15-L160

OKUMA (VDI40)

Mac Turn 550



112-14019 (25x25)



115-54092 (Ø32/ER32)



117-54004 (H=32)



115-54074 (Ø40)

ACCESSORIES



Drill socket
165-64010 <MT1>
165-64011 <MT2>
165-64012 <MT3>

Boring bar sleeve and throw-away drill socket
115-64099 (Ø16 mm)
165-64001 (Ø20 mm)

Boring bar sleeve and throw-away drill socket
165-64002 (Ø25 mm)
165-64003 (Ø32 mm)



Boring bar sleeve
165-64124 (Ø10 mm)
165-64125 (Ø12 mm)
165-64126 (Ø16 mm)
165-64127 (Ø20 mm)

Boring bar sleeve
165-64008 (Ø25 mm)
165-64009 (Ø32 mm)

OKUMA (VDI40)

LVT300



111-14041

Face and O.D. cutting holder



Qualified tool
25x25 mm



112-14021

Face and O.D. cutting holder

ACCESSORIES



115-54068

Combi toolholder for boring bar and insertdrill

ø40 mm

Boring bar sleeve

165-64124 (ø10 mm)
165-64125 (ø12 mm)
165-64126 (ø16 mm)
165-64127 (ø20 mm)

Boring bar sleeve

165-64128 (ø25 mm)
165-64129 (ø32 mm)

OKUMA

LB2000 EX (M, MY)



Face and O.D.
cutting holder

128-41506



Qualified tool
25x25 mm



Face and O.D.
cutting holder

128-41510



Qualified tool
16x16 mm



128-41511



Face and I.D.
cutting holder

128-31502

Cut-off tool
26 mm

CONNECTION



ACCESSORIES



Toolholder
for boring bar

Ø32 mm

128-21513



Combi toolholder
for boring bar and
insertdrill

Ø32 mm

128-21514

Drill socket

165-64010 <MT1>
165-64011 <MT2>

Boring bar sleeve

165-63289 (Ø8 mm)
165-63290 (Ø10 mm)
165-63291 (Ø12 mm)
165-63292 (Ø16 mm)

Boring bar sleeve

165-63293 (Ø20 mm)
165-63294 (Ø25 mm)

OKUMA

LB2500 EX (M)
LB3000 EX (M, MY)



Face and O.D.
cutting holder

128-41507



Qualified tool
25x25 mm



Face and I.D.
cutting holder

128-31503



Cut-off holder

Cut-off tool
32 mm
26 mm

128-11535 (h=32 mm)
128-11534 (h=26 mm)

ACCESSORIES



Toolholder
for boring bar

Ø40 mm

128-21515

Drill socket

165-64011 <MT2>
165-64012 <MT3>

Boring bar sleeve

165-64135 (Ø8 mm)
165-64013 (Ø10 mm)
165-64014 (Ø12 mm)
165-64015 (Ø16 mm)
165-64016 (Ø20 mm)



Combi toolholder
for boring bar and
insertdrill

Ø40 mm

128-21516

Throw-away drill socket

165-64205 (Ø25 mm)
165-64206 (Ø32 mm)

CONNECTION



OKUMA

LB3000 EX (MW, MYW)



128-41509

Face and O.D. cutting holder



Face and I.D. cutting holder

128-31505



Qualified tool
25x25 mm



128-11535 (h-32 mm)

Cut-off holder

Cut-off tool
32 mm
26 mm



128-21515

Toolholder for boring bar

ø40 mm



128-21516

Combi toolholder for boring bar and insertdrill

ø40 mm



128-21519

Double toolholder for boring bar

ø40 mm



128-21520

Double combi toolholder for boring bar and insertdrill

ø40 mm

CONNECTION



ACCESSORIES



Drill socket

165-64011 <MT2>
165-64012 <MT3>



Boring bar sleeve

165-64135 (ø8 mm)
165-64013 (ø10 mm)
165-64014 (ø12 mm)
165-64015 (ø16 mm)
165-64016 (ø20 mm)



Throw-away drill socket

165-64205 (ø25 mm)
165-64206 (ø32 mm)

OKUMA

LB4000 EX (M, MY)



128-41508

Face and O.D. cutting holder



Qualified tool 25x25 mm



128-31504

Face and I.D. cutting holder

CONNECTION





128-11536

Cut-off holder



Cut-off tool 32 mm

ACCESSORIES



128-21518

Combi toolholder for boring bar and insertdrill

ø40 mm

Drill socket

165-64010 <MT1>
165-64011 <MT2>
165-64012 <MT3>

Boring bar sleeve

165-64135 (ø8 mm)
165-64013 (ø10 mm)
165-64014 (ø12 mm)
165-64015 (ø16 mm)
165-64016 (ø20 mm)

Throw-away drill socket

165-64205 (ø25 mm)
165-64206 (ø32 mm)

NAKAMURA TOME TW10



Face and O.D. cutting holder



Face and O.D. cutting holder



Face and O.D. cutting holder



Face and O.D. cutting holder



Face and O.D. cutting holder



Qualified tool 20x20 mm



Cut-off holder

Cut-off tool

121-22076 (h=32 mm H=100 mm)

CONNECTION





W1417 D25 (H=55 mm)
W4437 D25 (H=75 mm)

Combi toolholder for boring bar and insertdrill

ø25 mm



W1418 D25

Double toolholder for boring bar

ø25 mm

NAKAMURA TOME

TW20 - WT300 - SC300



Face and O.D.
cutting holder
25x25 mm



Combi toolholder
for boring bar and
insertdrill

ø32 mm



Face and O.D.
cutting holder
25x25 mm



Qualified tool



Face and I.D.
cutting holder
25x25 mm

CONNECTION



NAKAMURA TOME WT100







CONNECTION



NAKAMURA TOME

WT150 - WTW150 - WTS150
WT250 - SC150 - SC250









CONNECTION



DOOSAN PUMA 230M/MS - 240M/MS



128-41501

Face and O.D.
cutting holder



128-41502

Face and O.D.
cutting holder

Qualified tool
25x25 mm



128-31501

Face and I.D.
cutting holder

Cut-off holder



Cut-off tool
25x25 mm

128-41503

ACCESSORIES



128-21501
128-21521 (H60)

Boring bar holder

Ø40 mm

Cover:832-003216



128-21502
128-21522 (H60)

Combi toolholder
for boring bar and
insertdril with internal
coolant

Ø40 mm



128-21503

Boring bar holder

Ø20 mm

Cover:832-003218
Cover:832-003217



128-21504

Combi toolholder
for boring bar and
insertdril with internal
coolant

Ø20 mm



Drill socket

114-34012 <MT1>
114-34013 <MT2>
114-34014 <MT3>



Boring bar sleeve

165-64089 (Ø10 mm)
165-64090 (Ø12 mm)
165-64091 (Ø16 mm)



Boring bar sleeve

165-64092 (Ø20 mm)
165-64093 (Ø25 mm)
165-64094 (Ø32 mm)



Throw-away drill socket

165-64095 (Ø20 mm)
165-64096 (Ø25 mm)

CONNECTION



DOOSAN PUMA 230S - 240S - LYNX210



ACCESSORIES



CONNECTION



DOOSAN (BMT45)

LYNX 220LM



128-41518

Face and O.D. cutting holder



128-41519

Face and O.D. cutting holder



Qualified tool 20x20 mm



128-31511

Face and O.D. cutting holder

Cut-off holder



128-11546

Cut-off tool 26 mm

ACCESSORIES



128-21529

Toolholder for boring bar

Ø32 mm



Drill socket

114-33208 <MT1>
114-33209 <MT2>



Boring bar sleeve

115-63260 (Ø8 mm)
115-63261 (Ø10 mm)
115-63211 (Ø12 mm)
115-63212 (Ø16 mm)
115-63213 (Ø20 mm)



128-21530

Combi toolholder for boring bar and insertdrill

Ø32 mm



Boring bar sleeve

115-63214 (Ø25 mm)

Throw-away drill socket

165-63325 (Ø16 mm)
165-63326 (Ø20 mm)
165-63327 (Ø25 mm)



128-21531

Combi toolholder for boring bar

2xØ25 mm

Boring bar sleeve

115-62538 (Ø8 mm)
115-62539 (Ø10 mm)
115-62540 (Ø12 mm)

Boring bar sleeve

115-62541 (Ø16 mm)
165-62537 (Ø20 mm)

CONNECTION



DOOSAN (BMT55)

DOOSAN (BMT55)

PUMA 230-240M/MS - 280LM - 1500-2000-2500M/MS/Y/SY
2100 SERIE - TT1500-TT1800MS/SY
TL2000-2500LM - MX1600/2100TS
LYNX 300M



128-41520



128-41521



128-31512



128-21532



128-21533



128-21534



128-21535

Face and O.D. cutting holder

Face and O.D. cutting holder

Face and O.D. cutting holder



Qualified tool 25x25 mm

Face and O.D. cutting holder



128-41522

Cut-off holder



Cut-off tool
26 mm
32 mm



128-11548 (26 mm)
128-11549 (32 mm)

ACCESSORIES

Toolholder for boring bar

Ø40 mm



Drill socket

114-34012 <MT1>
114-34013 <MT2>
114-34014 <MT3>



Boring bar sleeve

165-64089 (Ø10 mm)
165-64090 (Ø12 mm)
165-64091 (Ø16 mm)

Combi toolholder for boring bar and insertdrill

Ø40 mm



Boring bar sleeve

165-64092 (Ø20 mm)
165-64093 (Ø25 mm)
165-64094 (Ø32 mm)

Combi toolholder for boring bar and insertdrill

Ø40 mm

Throw-away drill socket

165-64095 (Ø20 mm)
165-64096 (Ø25 mm)
165-64097 (Ø32 mm)

Combi toolholder for boring bar and insertdrill

2xØ20 mm

Driven tools



124-05501



124-05502

CONNECTION



DOOSAN PUMA
(BMT65)

300M/MS - V400M - TT2000SY - TT2500SY
TT2500MS - 2600/3100 SERIE
MX2000ST - MX2500T/ST/LST - VT450/TM
INVERTURN 3000M



128-41801



128-41802



128-31802



128-21801



128-21802



128-21803

Face and O.D. cutting holder

Face and O.D. cutting holder

Face and O.D. cutting holder

Qualified tool 25x25 mm

Face and O.D. cutting holder

Face and O.D. cutting holder



128-41803



128-41804



Cut-off holder

Cut-off tool

32 mm

128-11804

ACCESSORIES

Toolholder for boring bar

Ø40 mm



Drill socket

114-34012 <MT1>
114-34013 <MT2>
114-34014 <MT3>



Boring bar sleeve

165-64089 (Ø10 mm)
165-64090 (Ø12 mm)
165-64091 (Ø16 mm)

Combi toolholder for boring bar and insertdrill

Ø40 mm



Boring bar sleeve

165-64092 (Ø20 mm)
165-64093 (Ø25 mm)
165-64094 (Ø32 mm)

Throw-away drill socket

165-64095 (Ø20 mm)
165-64096 (Ø25 mm)
165-64097 (Ø32 mm)

Combi toolholder for boring bar and insertdrill

Ø40 mm

Boring bar sleeve

115-62538 (Ø8 mm)
115-62539 (Ø10 mm)
115-62540 (Ø12 mm)

Boring bar sleeve

115-62541 (Ø16 mm)
165-62537 (Ø20 mm)

Driven tools



124-06501



124-06502

CONNECTION



DOOSAN PUMA
(BMT75)

400 - 480M/LM/XLM - VT 750M/TM



128-42508 25x25 mm

Face and O.D. cutting holder



128-42509 25x25 mm
128-42510 32x32 mm

Face and O.D. cutting holder



Qualified tool



128-32506 25x25 mm

Face and O.D. cutting holder

CONNECTION





Cut-off holder

Cut-off tool
32 mm

128-12507

ACCESSORIES



128-22522 Ø40 mm
128-22523 Ø50 mm

Combi toolholder for boring bar and insertdrill



Drill socket Ø40

114-34012 <MT1>
114-34013 <MT2>
114-34014 <MT3>



Boring bar sleeve Ø40

165-64089 (Ø10 mm)
165-64090 (Ø12 mm)
165-64091 (Ø16 mm)



Boring bar sleeve Ø40

165-64092 (Ø20 mm)
165-64093 (Ø25 mm)
165-64094 (Ø32 mm)

Throw-away drill socket Ø40

165-64095 (Ø20 mm)
165-64096 (Ø25 mm)
165-64097 (Ø32 mm)

Driven tools



124-07501



124-07502

MAZAK NEXUS SQT100/150



123-33801

Face and O.D.
cutting holder



123-33802

Face and O.D.
cutting holder

Qualified tool
20x20 mm



122-13801

Face and I.D.
cutting holder

CONNECTION



ACCESSORIES



121-23801

Boring bar holder

Ø32 mm



Drill socket

114-33216 <MT2>



Boring bar sleeve

165-63241 (Ø8 mm)
165-63242 (Ø10 mm)
165-63243 (Ø12 mm)
165-63244 (Ø16 mm)



Boring bar sleeve

165-63245 (Ø20 mm)
165-63246 (Ø25 mm)



121-23802

Toolholder
for insertdrill
with internal coolant

Ø32 mm

MAZAK NEXUS QTN200/250



123-33803

Face and O.D.
cutting holder

Qualified tool
25x25 mm



122-13802

Face and I.D.
cutting holder

CONNECTION



ACCESSORIES



121-23805

Boring bar holder

Ø40 mm



Boring bar sleeve

165-64114 (Ø8 mm)
165-64115 (Ø10 mm)
165-64116 (Ø12 mm)
165-64117 (Ø16 mm)
165-64118 (Ø20 mm)



Boring bar sleeve

165-64119 (Ø25 mm)
165-64120 (Ø32 mm)



121-23806

Toolholder
for insertdrill
with internal coolant

Ø40 mm



Throw-away drill socket

165-64121 (Ø20 mm)
165-64122 (Ø25 mm)
165-64123 (Ø32 mm)

MAZAK SQT
MAZAK QTN
(VDI40)

SQT 15, SQT 18 M / MS - 12 Stations
SQT 200, SQT 250 M / MS - 12 Stations
QTN 200, QTN 250 M / MS / MY / MSY - 12 Stations







ACCESSORIES

Qualified tool
25x25 mm



KMZ-53618000100



KMZ-53618000600



KMZ-53638000300



KMZ-53618000300

Drill socket
114-34015 <MT1>
114-34016 <MT2>
114-34017 <MT3>



Boring bar sleeve
165-64114 (Ø8 mm)
165-64115 (Ø10 mm)
165-64116 (Ø12 mm)
165-64117 (Ø16 mm)
165-64118 (Ø20 mm)



Boring bar sleeve
165-64119 (Ø25 mm)
165-64120 (Ø32 mm)



Throw-away drill socket
165-64121 (Ø20 mm)
165-64122 (Ø25 mm)
165-64123 (Ø32 mm)

KMZ-53208005100



KMZ-53638000400



KMZ-53208005200



Cut-off tool
32 mm



KMZ-53618000400



124-54020



116-54019

WFL
(HSK100)

Millturn 120

ICTM STANDARD

H100APCLNL/R16

H100APDJNL/R15

H100APDQNL/R15

H100APSRNL/R19



Axial toolholder.LH
32x32 mm

142-21601



Axial toolholder long

142-21604 (25x25 mm,left)
142-11603 (25x25 mm,right)
142-21603 (32x32 mm,left)
142-11604 (32x32 mm,right)



Axial toolholder
25x25 mm

142-21605 (left)
142-11605 (right)



Toolholder 45°
25x25 mm

141-11601



Toolholder with multiple seats
32x32 mm

143-11601



Boring bar holder
Ø40 mm

145-21605

Boring bar sleeve

165-64124 (Ø10 mm)
165-64125 (Ø12 mm)
165-64126 (Ø16 mm)
165-64127 (Ø20 mm)

Boring bar sleeve

165-64128 (Ø25 mm)
165-64129 (Ø32 mm)

GOODWAY

GS2000 SERIES - GS3000 SERIES
GS4000 SERIES

Driven tools



124-06001

124-06002

CONNECTION



ACCESSORIES



KMS-T20098-A (Ø32 mm)
KMS-T20096-A (Ø25 mm)
KMS-T20094-A (Ø20 mm)
KMS-T20092-A (Ø16 mm)
KMS-T20090-A (Ø12 mm)
KMS-T20088-A (Ø10 mm)
KMS-T20086-A (Ø8 mm)



KMS-T20196-A (Ø20 mm)
KMS-T20194-A (Ø16 mm)
KMS-T20110-A (Ø12 mm)
KMS-T20108-A (Ø10 mm)
KMS-T20106-A (Ø8 mm)



KMS-T22042-A (MT3)
KMS-T22044-A (MT4)
KMS-T22046-A (MT2)
KMS-T22066-A (MT1)



KMS-T20188 (Ø20 mm)
KMS-T20186 (Ø16 mm)
KMS-T20184 (Ø12 mm)
KMS-T20182 (Ø10 mm)
KMS-T20180 (Ø8 mm)



KMS-T20122-A (Ø25 mm)
KMS-T20120-A (Ø20 mm)
KMS-T20118-A (Ø16 mm)
KMS-T20116-A (Ø12 mm)
KMS-T20114-A (Ø10 mm)
KMS-T20112-A (Ø8 mm)

KMS-T20100-A (Ø32 mm)
KMS-T20102-A (Ø25 mm)
KMS-T20104-A (Ø20 mm)
KMS-T20190-A (Ø16 mm)



832-018722 (25 mm)
832-018732 (20 mm)

832-018721 (25 mm)
832-018731 (20 mm)

KMS-T00186 (25x25 mm)
KMS-T00187 (20x20 mm)



KMS-T00184 (25x25 mm)
KMS-T00185 (20x20 mm)



KMS-T03005 (25x25 mm)
KMS-T03006 (20x20 mm)



KMS-T00197 (25x25 mm)



137-00092 (32 mm)



KMS-T10097 (Ø40 mm)
KMS-T10098 (Ø50 mm)



KMS-T10104 (Ø25 mm)



KMS-T10096 (Ø32 mm)



F70031



KMS-T13128 (Ø40 mm) with internal coolant

PRODOTTI A RICHIESTA
ARTICLES ON ENQUIRY

DIN69881
VDI3425/3

WERKZEUGHALTER MIT PRISMA
DIN69881 VDI 3425/3

TOOLHOLDER WITH DOVE TAIL CLAMP
DIN69881 VDI3425/3

РЕЗЦЕДЕРЖАТЕЛИ ДЛЯ ТОКАРНЫХ
СТАНКОВ С ЧПУ DIN69881 VDI3425/3

PORTE-OUTIL PRISMATIQUE
DIN69881 VDI3425/3

PORTAUTENSILI PRISMATICI
DIN69881 VDI 3425/3

数控车床刀柄
DIN69881 VDI3425/3